			T DD	T 7:
L Number	Hits	Search Text	DB	Time stamp
1	9	(US-4087716-\$ or US-5500988-\$ or US-6551652-\$ or US-5912600-\$ or US-4900970-\$ or US-4742264-\$ or US-4456394-\$ or US-4649313-\$ or US-3590287-\$).did.	USPAT	2004/10/26 13:03
3	2	((US-4087716-\$ or US-5500988-\$ or US-6551652-\$ or	USPAT:	2004/10/26 13:04
	-	US-5912600-\$ or US-4900970-\$ or US-4742264-\$ or	JPO:	
		US-4456394-\$ or US-4649313-\$ or US-3590287-\$).did.) and perovskite	DERWENT	
2	2	((US-4087716-\$ or US-5500988-\$ or US-6551652-\$ or	USPAT:	2004/10/26 13:41
. –	_	US-5912600-\$ or US-4900970-\$ or US-4742264-\$ or	JPO;	
		US-4456394-\$ or US-4649313-\$ or US-3590287-\$).did.) and (piezoelectric adj (layer\$2 or element)) with perovskite	DERWENT	
4	32	(piezoelectric adj (layer\$2 or element)) with perovskite	JPO	2004/10/26 13:14
5	20	((piezoelectric adj (layer\$2 or element)) with perovskite) and @ad<20000201	JPO	2004/10/26 13:42
6	1189	333/187-191.ccls.	JPO	2004/10/26 13:40
7	ا	333/187-191.ccls. and (piezoelectric adj (layer\$2 or element))	USPAT:	2004/10/26 13:40
	_	with perovskite	JPO;	
			DERWENT	
8	602	ando-akira.in.	USPAT;	2004/10/26 13:41
			JPO;	
0	507	havashi kajahi in	DERWENT	2004/10/26 13:41
9	597	hayashi-koichi.in.	USPAT; JPO;	2004/10/20 13.41
			DERWENT	
10	192	kimura-masahiko.in.	USPAT;	2004/10/26 13:41
			JPO;	
			DERWENT	1
11	1287	ando-akira.in. or hayashi-koichi.in. or kimura-masahiko.in.	USPAT;	2004/10/26 13:41
			JPO;	
13	0	((ando-akira.in. or hayashi-koichi.in. or kimura-masahiko.in.)	DERWENT JPO	2004/10/26 13:42
10	١	and (piezoelectric adj (layer\$2 or element)) with perovskite)	J 3F 0	2007/10/20 13.42
		and @ad<20000201		
12	3	(ando-akira.in. or hayashi-koichi.in. or kimura-masahiko.in.)	USPAT;	2004/10/26 13:42
		and (piezoelectric adj (layer\$2 or element)) with perovskite	JPO;	[
		(alama alambia adi (lavar00t1)	DERWENT	0004/40/00 40 44
-	98	(piezoelectric adj (layer\$2 or element)) with perovskite	USPAT; JPO;	2004/10/26 13:14
1			DERWENT	
_	1	((piezoelectric adj (layer\$2 or element)) with perovskite) same	USPAT;	2004/10/21 14:11
	,	(green adj sheet)	JPO;	
			DERWENT	
-	1143	"c" adj axes	USPAT;	2004/10/21 14:12
			JPO;	
_	1143	C adj axes	DERWENT	2004/10/21 14:12
-	1143	O auj axes	USPAT; JPO;	2004/10/21 14:12
			DERWENT	
-	1	((piezoelectric adj (layer\$2 or element)) with perovskite) and	USPAT;	2004/10/21 14:12
		(C adj axes)	JPO;	
			DERWENT	
-	1976	310/313A,313R,358.ccls.	USPAT;	2004/10/21 14:15
			JPO;	
_	11	((piezoelectric adj (layer\$2 or element)) with perovskite) and	DERWENT USPAT:	2004/10/21 14:15
	''	310/313A,313R,358.ccls.	JPO;	2007/10/21 14.15
			DERWENT	
-	11	(((piezoelectric adj (layer\$2 or element)) with perovskite) and	USPAT;	2004/10/21 14:16
		310/313A,313R,358.ccls.) and electrode	JPO;	
	_		DERWENT	0004400044445
-	6	((((piezoelectric adj (layer\$2 or element)) with perovskite) and	USPAT;	2004/10/21 14:16
		310/313A,313R,358.ccls.) and electrode) and laminat\$3	JPO; DERWENT	
_	6	(((((piezoelectric adj (layer\$2 or element)) with perovskite) and	USPAT;	2004/10/21 14:16
		310/313A,313R,358.ccls.) and electrode) and laminat\$3) and	JPO;	230 17 13/21 13.10
		(fir\$3 or bak\$3)	DERWENT	

-	4	((((((piezoelectric adj (layer\$2 or element)) with perovskite)	USPAT;	2004/10/21 14:21
	,	and 310/313A,313R,358.ccls.) and electrode) and laminat\$3)	JPO;	
	İ	and (fir\$3 or bak\$3)) and polariz\$5	DERWENT	
-	4	("4350916" "4564782" "5914068" "6248394").PN.	USPAT	2004/10/21 14:21
_	2462		USPAT;	2004/10/21 14:22
			JPO;	
			DERWENT	
-	3	((piezoelectric adj (layer\$2 or element)) with perovskite) and	USPAT;	2004/10/26 13:14
		29/25.35,594.ccls.	JPO;	
	i		DERWENT	
-	5870	29/25.35,594,597,602.1,609.1.ccls.	USPAT;	2004/10/21 15:38
			JPO;	
			DERWENT	
-	3	29/25.35,594,597,602.1,609.1.ccls. and (piezoelectric adj	USPAT;	2004/10/21 15:41
		(layer\$2 or element)) with perovskite	JPO;	
			DERWENT	000440044544
-	2112	427/100,226,229.ccls.	USPAT;	2004/10/21 15:41
			JPO;	
		407/400 000 000 t	DERWENT	0004/40/04 45:40
-	3	427/100,226,229.ccls. and (piezoelectric adj (layer\$2 or	USPAT;	2004/10/21 15:43
		element)) with perovskite	JPO; DERWENT	
	4	("4584590" "4680595" "5202703" "5265315").PN.	USPAT	2004/10/21 15:41
-	16	(4364390 4660393 3202703 3265313).FN. 5500988.URPN.	USPAT	2004/10/21 15:42
-	2	("4564782").PN.	USPAT;	2004/10/21 15:43
-	_	(4504762).FN.	JPO;	2004/10/21 15.45
			DERWENT	
_	6	("Re27116" "3489931" "3562792" "3590287" "4019073"	USPAT	2004/10/21 15:43
_		"4087716").PN.	001 / 11	200-7/10/21 10.40
_	34	4087716.URPN.	USPAT	2004/10/21 15:44

IEEE HOME I SEARCH IEEE I SHOP I WEB ACCOUNT I CONTACT IEEE



Publications/Services Standards Conferences

Welcome **United States Patent and Trademark Office**



Search

Help FAQ Terms IEEE Peer Review | Quick Links Welcome to IEEE Xplore® Your search matched 6 of 1085387 documents. O- Home A maximum of 500 results are displayed, 15 to a page, sorted by Relevance `)- What Can **Descending** order. I Access? **Refine This Search:** You may refine your search by editing the current search expression or enterior

☐ Check to search within this result set

Tables of Contents

- Journals & Magazines
-)- Conference **Proceedings**
- Standards

Search

- O- By Author
- O- Basic
- O- Advanced
- O- CrossRef

Member Services

- ()- Join IEEE
-) Establish IEEE **Web Account**
- ()- Access the **IEEE Member Digital Library**

IEEE Enterprise

- O- Access the **IEEE Enterprise File Cabinet**
- Print Format

Results Kev:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Electrostrictive properties of nanosize PbTiO₃

(piezoelectric) <and> (perovskite) <and> (polarizing)

Akdogan, E.K.; Safari, A.;

new one in the text box.

Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions on , Volu 47 , Issue: 4 , July 2000

Pages:881 - 885

[Abstract] [PDF Full-Text (332 KB)]

2 PZT thin film pressure sensor for on-line monitoring injection moldi

Luo, R.C.; Chien Ming Chen;

Industrial Electronics Society, 2000. IECON 2000. 26th Annual Confjerence of IEEE , Volume: 4 , 22-28 Oct. 2000

Pages: 2394 - 2399 vol.4

[Abstract] [PDF Full-Text (494 KB)]

3 Electrical properties and chemical characterization of PMN and 0.90 **PMN-0.10PT**

Brown, L.F.; Huang, J.; Fitzgerald, J.J.; Burghardt, N.R.; Winker, J.C.; Ultrasonics Symposium, 1999. Proceedings. 1999 IEEE, Volume: 2, 17-20 O 1999

Pages: 1025 - 1029 vol.2

[Abstract] [PDF Full-Text (404 KB)] **IEEE CNF**

4 Piezoelectric relaxation in bismuth titanate based ferroelectric cera Maeder, M.D.; Damjanovic, D.; Voisard, C.; Martin, P.D.; Setter, N.; Applications of Ferroelectrics, 2000. ISAF 2000. Proceedings of the 2000 12th International Symposium on , Volume: 1 , 21 July-2 Aug. 2000 Pages:483 - 486 vol. 1

[Abstract] [PDF Full-Text (376 KB)] IEEE CNF

5 Flexure-electrical effect in ferroelectric and paraelectric ceramics w perovskite structure

Gridnev, S.;

Ferroelectrics, 1996. ISAF '96., Proceedings of the Tenth IEEE International Symposium on Applications of , Volume: 2 , 18-21 Aug. 1996 Pages:891 - 893 vol.2

[Abstract] [PDF Full-Text (208 KB)] IEEE CNF

6 Dielectric, piezoelectric and pyroelectric properties of the Pb(Mg 1/3Ta_{2/3})O₃-PbTiO₃-PbZrO₃ solid solution system

Weon, H.Y.; Kim, Y.J.; Choi, S.W.; Applications of Ferroelectrics, 1994.ISAF '94., Proceedings of the Ninth IEEE International Symposium on , 7-10 Aug. 1994 Pages:808 - 809

[Abstract] [PDF Full-Text (168 KB)] IEEE CNF

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE - All rights reserved